



# AFS FIRE EXTINGUISHERS


## ABC Type Fire Extinguishers

Specification	1kg	2kg	4kg	6kg	9kg
Standard	IS 15683:2018				
Design	Squeeze Grip				
Type	Low Pressure Extinguisher (Service Pressure < 19 Bar)				
Body	Welded Low Carbon Steel Cylinder (IS 15683)				
Fire Rating	1A : 21B	2A : 34B	4A : 89B	6A : 183B	6A : 233B
Avg Discharge Time	8 sec	8 sec	13 sec	15 sec	15 sec
Avg. Discharge Range	2 meter	2 meter	3 meter	3 meter	3 meter
Operating Temperature	-10°C to +60°C				
Expellant Media	ABC /DCP (Mono Ammonium Phosphate) IS 4308				
Expellant Medium	Nitrogen (Stored Pressure)				
Weight Filled	2kg	3.1kg	6.4kg	8.8kg	13.1kg
Height	231mm	294mm	371mm	422mm	491mm
Diameter	90mm	107mm	136mm	145mm	173mm



## CO2 Type Fire Extinguishers

Specification	2kg	4.5kg
Standard	IS 15683:2018	
Design	Wheel type (stored pressure)	
Type	High Pressure Extinguisher (Service Pressure > 19 Bar)	
Body	Manganese Steel as per IS 7285	
Fire Rating	34B	55B
Avg Discharge Time	8 sec	13 sec
Avg. Discharge Range	2 meter	2 meter
Operating Temperature	-10°C to +60°C	
Expellant Media	Carbon Di-Oxide	
Expellant Medium	Carbon Di-Oxide	
Weight Filled	8.2kg	16.1kg
Height	465mm	710mm
Diameter	108mm	140mm



## Mechanical Foam Type Fire Extinguishers

Specification	Mechanical Foam 9 Liter
Standard	IS 15683:2018
Design	Squeeze Grip
Type	Low Pressure Extinguisher (Service Pressure < 19 Bar)
Body	Welded Low Carbon Steel Cylinder (IS 15683)
Fire Rating	4A : 144 B
Avg Discharge Time	15 sec
Avg. Discharge Range	3 Meter
Operating Temperature	+5°C to +55°C
Expellant Media	Aqueous Film Forming Foam (AFFF)
Expellant Medium	Nitrogen (Stored Pressure)
Weight Filled	13.1kg
Height	575mm
Diameter	180mm



## Water Type Fire Extinguishers

Specification	Water 9 Liter
Standard	IS 15683:2018
Design	Squeeze Grip
Type	Low Pressure Extinguisher (Service Pressure < 19 Bar)
Body	Welded Low Carbon Steel Cylinder (IS 15683)
Fire Rating	4A
Avg Discharge Time	15 sec
Avg. Discharge Range	3 meter
Operating Temperature	+5°C to +55°C
Expellant Media	Water
Expellant Medium	Nitrogen (Stored Pressure)
Weight Filled	13.1kg
Height	575mm
Diameter	180mm



**FIREMAN AXE**



**FIRE BUCKET**



**FIRE HOOK**



**HOSE BOX & CABINET**



**FIRE BEATER**



**FIRE BUCKET STAND**



**AFS ABC TYPE ISI MARKED POWDER**



**AFS BC TYPE ISI MARKED POWDER**



**AFS ISI MARKED AFFF FOAM**



**Advanced Fire And Safety India Pvt. Ltd.**

H-77, UPSIDC Industrial Area, Phase -I, M.G Road, Ghaziabad 201015

☎ 0120-4228301

✉ sales.afs@gmail.com

🌐 www.afsfiresafety.in